



**JENNY NGUYEN, D.P.M**

[jnguyen@footandankle-usa.com](mailto:jnguyen@footandankle-usa.com)

(P) 410 – 768 – 5800. (F) 410 – 768 -5806

**EDUCATION**

- 07 / 2003 – 06 / 2006      Cooper University Hospital: Camden, New Jersey  
PSR 24+ Podiatric Surgical Resident: Chief Resident  
Graduation Date: June 2006
- 09 / 1999 – 05 / 2003      Temple University School of Podiatric Medicine  
Doctor of Podiatric Medicine: May 2003
- 09 / 1994 – 05 / 1999      University of Maryland at College Park  
Bachelor of Science in Neurology and Physiology  
May 1999 – Cum Laude Honor Graduate

**AWARDS**

- 09 / 1999 – 05 / 2000      Temple University School of Podiatric Medicine Admissions  
Scholarship
- 05 / 1999                      Cum Laude Honor Graduate
- 09 / 1995 – 05 / 1999      Who's Who among American College Students  
National Dean's List all Semesters  
Life Time Golden Key National Honor Society  
Phi Delta Sigma Honor Society

**EXPERIENCE**

- 08 / 2010 – Present      Board Certified, American Board of Podiatric Surgery.
- 10 / 2011 – Present      Podiatric Physician at Foot and Ankle Specialists of the Mid-Atlantic

## **CHESAPEAKE RESEARCH GROUP, LLC**

---

- 07 / 2006 – 2011 Podiatric Physician at Chesapeake Foot and Ankle Center.
- 07 / 2006 – Present Sub-Investigator at Chesapeake Research Group, LLC  
8028 Ritchie Hwy. Suites 100-106, Pasadena, Maryland 21122
- 07 / 2003 – 06 / 2006 Three Years of Extensive Training in Podiatric Medicine and Surgery, PSR 24 +, in Fore-foot, Rear-foot, Ankle, Trauma Surgery, Diabetic Wound Care, and Limb Salvage at Cooper University Hospital, NJ
- 07 / 2006 - Present Foot Screenings at Multiple Community Health Fairs.
- 12 / 2001 – 06 / 2002 Temple University School of Podiatric Medicine Gait Study Center

### **CREDENTIALS**

- 08 / 2010 – Present Board Certified, American Board of Podiatric Surgery
- 01 / 2006 - Present Maryland Podiatric License
- 07 / 2003 – Present Certified BLS.

### **PROFESSIONAL MEMBERSHIP**

- 08 / 2010 - Present American College Foot and Ankle Surgeon Member
- 09 / 1998 – Present American Podiatric Medical Association Member
- 06 / 2006 - Present Maryland Podiatric Medical Association Member
- 06 / 2006 - Present Podiatry Management, Podiatry Today Member

### **LANGUAGES**

**Bilingual:** Fluent in English and Vietnamese

### **RESEARCH**

- 07 / 2006 – Present Chesapeake Research Group, LLC  
8030B Ritchie Highway  
Pasadena, Maryland 21122
- 06 / 2000 – 05 / 2002 Gait Analysis using Musgrave, Vicon 370TM, Kistler Force Plate.

## **CLINICAL TRIAL EXPERIENCE**

### **Protocol HTX-011-301 (2017)**

A Phase 3, Randomized, Double-Blind, Saline Placebo- and Active-Controlled, Multicenter Study of (the study drug) via Local Administration for Postoperative Analgesia and Decreased Opioid Use Following Unilateral Simple Bunionectomy

### **Protocol AVE-901-102 (2017)**

A Phase 3, Multicenter, Randomized, Double Blind, Three-Arm Study to Evaluate the Efficacy and Safety of (the study drug) versus Placebo in the Management of Postoperative Pain Following Bunionectomy

### **Protocol CLCT-018 (2017)**

A Randomized, Double-Blind, Placebo- and Active-Controlled Study to Determine the Efficacy and Safety of (the study drug) as a Treatment for Moderate-to-Severe Acute Pain and the Prevention of Opioid-induced Nausea and Vomiting (OINV) Following Orthopedic Surgery

### **Protocol MOB015-IV (2017)**

A Multi-Centre, Double-Blind, Randomized, Vehicle-Controlled Study of Efficacy and Safety of (the study drug) in the Treatment of Mild to Moderate Distal Subungual Onychomycosis (DSO)

### **Protocol ESTEVE-SUSA-301**

A Randomized, Double-blind, Active- and Placebo-controlled, Parallel Groups, Phase 3 Clinical Trial to Establish the Efficacy of (the study drug) for the Management of Moderate to Severe Post-surgical Pain after Bunionectomy

### **Protocol AFT-MXIV-07 (2016)**

A Phase 3, Randomized, Double-Blind, Multiple-Dose, Parallel-Group and Placebo-Controlled Study of (the study drug) for the Treatment of Acute Postoperative Pain After Bunionectomy

### **Protocol CP130-3002 (2016)**

A Phase 3, Multicenter, Randomized, Double-Blind, Placebo- and Active-Controlled Study of (the study drug) for the Treatment of Moderate to Severe Acute Pain After Abdominoplasty

### **Protocol CP130-3001 (2016)**

A Phase 3, Multicenter, Randomized, Double-Blind, Placebo- and Active-Controlled Study of (the study drug) for the Treatment of Moderate to Severe Acute Pain After Bunionectomy

### **Protocol HTX-011-C2015-203 (2016)**

A Phase 2, Randomized, Controlled Evaluation of the Efficacy and Safety of (the study drug) for Post-Operative Analgesia Following Abdominoplasty Surgery

### **Protocol HTX-011-C2016-208 (2016)**

A Phase 2, Randomized, Controlled, Multicenter, Evaluation of the Efficacy and Safety of Locally Administered (study drug) for Postoperative Analgesia Following Bunionectomy

### **Protocol REC-15-016 (2016)**

A Phase 3, Multicenter, Randomized, Double-Blind, Placebo-Controlled, Evaluation of the Efficacy and Safety of (the study drug) Following Bunionectomy

# **CHESAPEAKE RESEARCH GROUP, LLC**

---

## **Protocol INS005-16-062 (2016)**

A Phase 3, Randomized, Double Blind, Multiple Dose, Parallel Group, Placebo Controlled Study of (the study drug) for the Treatment of Moderate to Severe Pain

## **Protocol 4975-MN-203 (2015)**

An Open-Label, Multiple-Dose Extension Study to Evaluate the Safety and Efficacy of (the study drug) in Subjects with Painful Intermetatarsal Neuroma (Morton's Neuroma)

## **Protocol TV46763-CNS-30031 (2015)**

A Multicenter, Randomized, Double-blind, Placebo-controlled, Phase 3 Study to Evaluate the Analgesic Efficacy and Safety of (study drug) Every 4 to 6 Hours in Patients with Moderate to Severe Pain Following Bunionectomy

## **Protocol REC-15-014 (2015)**

A Phase 2, Single-Center, Randomized, Double-Blind, Placebo-Controlled, Evaluation of the Safety, Efficacy, and Pharmacokinetics of (the study drug) Following Bunionectomy

## **Protocol ELI-200-003-2014 (2015)**

A Multi-Center, Randomized, Multiple-Dose, Double-Blind, Placebo-Controlled, Parallel Group, Phase 3 Study to Evaluate the Efficacy and Safety of (the study drug) for the Treatment of Adults with Moderate to Severe Pain Following Bunionectomy Surgery

## **Protocol 4975-MN-202 (2014)**

A Randomized, Double-Blind, Placebo-Controlled, Dose-Ranging Study to Evaluate the Efficacy and Safety of CNTX-4975 in Subjects with Painful Intermetatarsal Neuroma (Morton's Neuroma)

## **Protocol CP130-2001 (2014)**

A Phase 2, Multicenter, Randomized, Double-Blind, Multiple-Dose, Adaptive, Placebo-and Active-controlled Study of (the study drug) for the Treatment of Acute Post-Operative Pain After Bunionectomy

## **Protocol MN-201 (2014)**

An Open Label, Ascending Dose Study to Evaluate the Safety and Tolerability of (the study drug) in Subjects with Painful Intermetatarsal Neuroma (Morton's Neuroma)

## **Protocol TCO2-2012-01 (2012)**

A Prospective, Randomized, Double-Blind Multicenter Study Comparing (the study device) standard Moist Wound Therapy (MWT) in the Treatment of Diabetic Foot Ulcers

## **Protocol COV15010232-US (2012)**

A Phase 3 Multicenter, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group Evaluation of the Safety and Analgesic Efficacy of (the study drug) in Moderate to Severe Post-Operative Bunionectomy Pain Followed by an Open-Label Extension

## **Protocol RBI.2012.003.P.2 (2012)**

A Multicenter, Randomized, Sham-Controlled, Double-Blinded Study to Evaluate the Analgesic Efficacy and Safety of (the study device) in Bunionectomy Surgery for the Treatment of Post-Operative Pain

# **CHESAPEAKE RESEARCH GROUP, LLC**

---

## **Protocol IND3-10-06 (2012)**

A Phase 3, Randomized, Double-Blind, Multiple-Dose, Parallel-Group, Placebo-Controlled Study of (the study drug) for the Treatment of Acute Postoperative Pain After Bunionectomy

## **Protocol 15000182-US (2012)**

A Phase 3 Multicenter, Randomized, Double-Blind, Placebo-Controlled, Parallel-Group Evaluation of the Safety and Analgesic Efficacy of (the study drug) in Moderate to Severe Post-Operative Bunionectomy Pain followed by an Open Label Extension

## **Protocol IND3-08-04b (2012)**

A Phase 3, Randomized, Double-Blind, Multiple-Dose, Parallel-Group, Active- and Placebo-Controlled Study of (the study drug) for the Treatment of Acute Postoperative Pain After Bunionectomy

## **Protocol DIC3-08-04 (2011)**

A Phase 3, Randomized, Double-Blind, Multiple-Dose, Parallel-Group, Active- and Placebo-Controlled Study of (the study drug) for the Treatment of Acute Postoperative Pain After Bunionectomy

## **Protocol Q8003-022 (2011)**

A Randomized, Double-Blind, Multicenter, Repeat-Dose Comparison of the Effects of (the study drug) to the Morphine-Equivalent Doses of Oxycodone and of Morphine on the Opioid-Related Adverse Events of Moderate to Severe Nausea, Emesis, and Dizziness in Subjects with Acute Moderate-to-Severe Postoperative Pain Following Bunionectomy

## **Protocol KD-PV01 (2010)**

A multi-Center, Randomized, Double-Blinded, Pivotal Study of the Safety, Local Tolerability and Efficacy of (the study drug) for the Treatment of Onychomycosis

## **Protocol BK15 (2009)**

Evaluation of a Medical Food for Chronic Wounds

## **Protocol Q8003-008 (2009)**

A Randomized, Double-Blind, Multicenter, Repeat-dose Comparison of Analgesic Efficacy and Safety of (the study drug) with Oxycodone and Morphine for the Management of Acute Moderate to Severe Postoperative Pain Following Bunionectomy Surgery

## **Protocol Q8003-021 (2009)**

A Double-Blind, Randomized, Multi-Center, Repeat Dose, Comparison of the Analgesic Efficacy and Safety of the (the study drug) to each of the Individual Milligram Components (Oxycodone and Morphine) in the Management of Acute Moderate to Severe Pain Following Bunionectomy Surgery

## **Protocol DFC-005 (2008)**

A randomized, double-blind, active- and placebo-controlled study of the analgesic efficacy and safety of repeated dosing of (the study drug) relative to parenteral ketorolac and placebo in patients with acute moderate to severe post-surgical pain following mixed elective general orthopedic surgery

## **Protocol INN-TOP-002 (2008)**

A Phase II, Randomized, Parallel, Double-blind, Placebo-controlled Study to Assess Prevention of Infection Using (the study drug) in Diabetic Patients with Uninfected Lower Extremity Skin Ulcers

## **CHESAPEAKE RESEARCH GROUP, LLC**

---

### **Protocol INN-TOP-001 (2008)**

A Randomized, Controlled, Open-Label Study to Investigate the Safety and Efficacy of (the study drug) Compared to Levofloxacin in Diabetic Patients with a Mild Infection of a lower Extremity Skin Ulcer

### **Protocol M10-421 (2008)**

A Randomized, Multicenter, double-blind Study comparing the Analgesic Efficacy and Safety of (the study drug) to Placebo in Subjects with Acute Pain Following Bunionectomy

### **Protocol HKT-500-US10 (2008)**

A Randomized, Multicenter, Double-Blind, Placebo-Controlled Study to Evaluate the Efficacy and Safety of (the study drug) in the Treatment of Pain Associated with Grade I or Grade II Ankle Sprain

### **Protocol KET-017 (2008)**

A randomized, multiple-center, double-blind, placebo-controlled study of the safety and analgesic efficacy of repeated dosing of (the study drug) to treat acute post-operative pain following orthopedic trauma, injury or surgery

### **Protocol R331333PAI3018 (2008)**

A Randomized, Double-Blind, Active- and Placebo-Controlled, Parallel-Group, Multicenter Study to Evaluate the Efficacy and Safety of (the study drug) in the Treatment of Acute Pain From Bunionectomy

### **Protocol Q8003-010 (2007)**

A Double-Blind, Multi-Center Extension Study to Evaluate the Safety and Efficacy of (the study drug) in Patients with Acute Moderate to Severe Pain

### **Protocol Q8003-007 (2007)**

A Placebo-Controlled, Randomized, Double-Blind Study of the Safety and Efficacy of (the study drug) in the Management of Post-Bunionectomy Pain

### **Protocol M06-850 (2007)**

A Global, Multicenter, Randomized, Double-Blind, Placebo-Controlled Study Comparing the Safety and Efficacy of (the study drug), Duloxetine and Placebo in Subjects with Diabetic Neuropathic Pain

### **Protocol KF5503/37 (2007)**

A Phase 3, Randomized, Double-Blind, Parallel-Group, Multi-Center, Active- and Placebo-Controlled Trial to Evaluate the Analgesic Efficacy and Safety of Multiple Doses of (the study drug) for Postoperative Pain Following Bunionectomy

### **Protocol 2005-005 (2006)**

A Phase III, Randomized, Double-Blind, Placebo-Controlled Study Evaluating the Safety and Efficacy of (the study drug) for Sedation During Monitored Anesthesia Care

### **Protocol R331333PAI3003 (2006)**

A Randomized, Double-Blind, Active- and Placebo-Controlled, Parallel-Group, Multicenter Study to Evaluate the Efficacy and Safety of Multiple Doses of (the study drug) Immediate Release Formulation in the Treatment of Acute Pain From Bunionectomy Followed by a Voluntary Open-Label Extension

# **CHESAPEAKE RESEARCH GROUP, LLC**

---

## **Protocol VGF3554g (2006)**

A Phase II, Double-Blind, Randomized, Placebo-Controlled Study to Assess the Effect of (the study drug) for Induction of Healing of Diabetic Foot Ulcers